

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTASXS1656

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUN 06	EPFULL enhanced with 260,000 English abstracts
NEWS	3	JUN 06	KOREAPAT updated with 41,000 documents
NEWS	4	JUN 13	USPATFULL and USPAT2 updated with 11-character patent numbers for U.S. applications
NEWS	5	JUN 19	CAS REGISTRY includes selected substances from web-based collections
NEWS	6	JUN 25	CA/CAPLUS and USPAT databases updated with IPC reclassification data
NEWS	7	JUN 30	AEROSPACE enhanced with more than 1 million U.S. patent records
NEWS	8	JUN 30	EMBASE, EMBAL, and LEMBASE updated with additional options to display authors and affiliated organizations
NEWS	9	JUN 30	STN on the Web enhanced with new STN AnaVist Assistant and BLAST plug-in
NEWS	10	JUN 30	STN AnaVist enhanced with database content from EPFULL
NEWS	11	JUL 28	CA/CAPLUS patent coverage enhanced
NEWS	12	JUL 28	EPFULL enhanced with additional legal status information from the epoline Register
NEWS	13	JUL 28	IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS	14	JUL 28	STN Viewer performance improved
NEWS	15	AUG 01	INPADOCDB and INPAFAMDB coverage enhanced
NEWS	16	AUG 13	CA/CAPLUS enhanced with printed Chemical Abstracts page images from 1967-1998
NEWS	17	AUG 15	CAOLD to be discontinued on December 31, 2008
NEWS	18	AUG 15	CAPLUS currency for Korean patents enhanced
NEWS	19	AUG 27	CAS definition of basic patents expanded to ensure comprehensive access to substance and sequence information
NEWS	20	SEP 18	Support for STN Express, Versions 6.01 and earlier, to be discontinued
NEWS	21	SEP 25	CA/CAPLUS current-awareness alert options enhanced to accommodate supplemental CAS indexing of exemplified prophetic substances
NEWS	22	SEP 26	WPIDS, WPINDEX, and WPIX coverage of Chinese and Korean patents enhanced
NEWS	23	SEP 29	IFICLS enhanced with new super search field
NEWS	24	SEP 29	EMBASE and EMBAL enhanced with new search and display fields
NEWS	25	SEP 30	CAS patent coverage enhanced to include exemplified prophetic substances identified in new Japanese-language patents
NEWS	26	OCT 07	EPFULL enhanced with full implementation of EPC2000
NEWS	27	OCT 07	Multiple databases enhanced for more flexible patent

number searching

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 18:10:44 ON 14 OCT 2008

=> File Medline EMBASE Biosis Caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'MEDLINE' ENTERED AT 18:10:55 ON 14 OCT 2008

FILE 'EMBASE' ENTERED AT 18:10:55 ON 14 OCT 2008
Copyright (c) 2008 Elsevier B.V. All rights reserved.

FILE 'BIOSIS' ENTERED AT 18:10:55 ON 14 OCT 2008
Copyright (c) 2008 The Thomson Corporation

FILE 'CAPLUS' ENTERED AT 18:10:55 ON 14 OCT 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

=> S (glutamyl endo peptidase) or (glutamic acid-specific protease) or (glutamyl endopeptidase) (6A) licheniformis
L1 70 (GLUTAMYL ENDO PEPTIDASE) OR (GLUTAMIC ACID-SPECIFIC PROTEASE)
OR (GLUTAMYL ENDOPEPTIDASE) (6A) LICHENIFORMIS

=> S L1 and (variant or mutant or mutated or mutation or mutating or mutagenesis or substitution or substitute or substituted) (8A) (histidine or his)
L2 4 L1 AND (VARIANT OR MUTANT OR MUTATED OR MUTATION OR MUTATING OR MUTAGENESIS OR SUBSTITUTION OR SUBSTITUTE OR SUBSTITUTED) (8A) (HISTIDINE OR HIS)

=> duplicate
ENTER REMOVE, IDENTIFY, ONLY, OR (?):remove
ENTER L# LIST OR (END):l2
DUPLICATE PREFERENCE IS 'MEDLINE, EMBASE, BIOSIS, CAPLUS'
KEEP DUPLICATES FROM MORE THAN ONE FILE? Y/(N):n
PROCESSING COMPLETED FOR L2
L3 1 DUPLICATE REMOVE L2 (3 DUPLICATES REMOVED)

=> d l3 bib ab

L3 ANSWER 1 OF 1 MEDLINE on STN DUPLICATE 1
 AN 1997084811 MEDLINE
 DN PubMed ID: 8931145
 TI Characterization of the S1 binding site of the glutamic acid-specific protease from *Streptomyces griseus*.
 AU Stennicke H R; Birktoft J J; Breddam K
 CS Carlsberg Laboratory, Department of Chemistry, Copenhagen, Denmark.
 SO Protein science : a publication of the Protein Society, (1996 Nov) Vol. 5, No. 11, pp. 2266-75.
 Journal code: 9211750. ISSN: 0961-8368.
 CY United States
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Priority Journals
 EM 199702
 ED Entered STN: 5 Mar 1997
 Last Updated on STN: 3 Mar 2000
 Entered Medline: 19 Feb 1997
 AB The glutamic acid-specific protease from *Streptomyces griseus* (SGPE) is an 18.4-kDa serine protease with a distinct preference for Glu in the P1 position. Other enzymes characterized by a strong preference for negatively charged residues in the P1 position, e.g., interleukin-1 beta converting enzyme (ICE), use Arg or Lys residues as counterions within the S1 binding site. However, in SGPE, this function is contributed by a His residue (His 213) and two Ser residues (Ser 192 and S216). It is demonstrated that proSGPE is activated autocatalytically and dependent on the presence of a Glu residue in the -1 position. Based on this observation, the importance of the individual S1 residues is evaluated considering that enzymes unable to recognize a Glu in the P1 position will not be activated. Among the residues constituting the S1 binding site, it is demonstrated that His 213 and Ser 192 are essential for recognition of Glu in the P1 position, whereas Ser 216 is less important for catalysis out has an influence on stabilization of the ground state. From the three-dimensional structure, it appears that His 213 is linked to two other His residues (His 199 and His 228), forming a His triad extending from the S1 binding site to the back of the enzyme. This hypothesis has been tested by substitution of His 199 and His 228 with other amino acid residues. The catalytic parameters obtained with the mutant enzymes, as well as the pH dependence, do not support this theory; rather, it appears that His 199 is responsible for orienting His 213 and that His 228 has no function associated with the recognition of Glu in P1.